



rivetfactory®

Multifunctional Trigger

Enables to control the suction through a trigger button; when the trigger is pushed and shifted up – the suction is deactivated, when pushed and shifted down – the suction is activated.

Multifunctional Mandrel Collector

Enables to control the vacuum system.

Position 0 = the suction is deactivated and the mandrel collector can be removed and emptied.

Position 1 = the suction is deactivated and the tool is ready to work, the rest of mandrels will be removed manually by tilting the tool.

Position 2 = the suction is activated and the tool is ready to work, the rest of mandrels will be transported into the mandrel collector automatically.

Revolving Air Supply

Enables manipulation with an air supply hose pipe which does not restrain the operator from riveting in any position.

Quick Interchangeable System

Air Power series nut riveters are equipped with the newly developed quick interchangeable system designed in respect to an easy exchange of mandrels without using any additional tools directly at the workplace and consequently to a substantial time saving.

High Tech Product

AirPower series professional „high tech“ riveters are destined for installation of blind and nut rivets. The unique ratio from among weight, size and performance markedly distinguish them from other similar products. These riveters were specially developed in relation to an effective riveting in combination with timeless design and sophisticated ergonomics.

Ergonomics and Design

AirPower series riveters are distinguished from other products by the timeless design of Prof. Pavel Škarka and sophisticated ergonomics, which allows their easy set up and use in demanding condition of series production.

AirPower Series



AirPower 1

High professional hydraulic/pneumatic blind riveting tool with extraction and multifunction trigger made for heavy industry use

Capacity	Ø 2,4 – 4,8 mm Al, St, Rv
Weight	1, 25 kg
Dimensions	272 mm x 264 mm x 99 mm
Stroke	17 mm
Pressure required	5 – 7 Bar
Traction power(6 bar)	7,3 kN
Equipment	Nose pieces Ø 3,0 – 4,8 mm



AirPower²

High professional hydraulic/pneumatic blind riveting tool with extraction and multifunction trigger made for heavy industry use

Capacity	Ø 4,0 – 6,4 mm Al, St, Rv
Weight	1, 65 kg
Dimensions	272 mm x 275 mm x 120 mm
Stroke	21 mm
Pressure required	5 – 7 Bar
Traction power(6 bar)	12,5 kN
Equipment	Nose pieces Ø 4,8 – 6,4 mm



AirPower 3

High professional hydraulic/pneumatic blind riveting tool with extraction and multifunction trigger made for heavy industry use

Capacity	Ø 4,8 – 6,4 mm, Al, St, Rv structural rivets
Weight	1, 8 kg
Dimensions	292 mm x 290 mm x 125 mm
Stroke	25 mm
Pressure required	5 – 7 Bar
Traction power(6 bar)	16 kN
Equipment	Nose pieces Ø 4,8 – 6,4 mm



AirPower 4

High professional hydraulic/pneumatic blind riveting tool with extraction and multifunction trigger made for heavy industry use

Capacity	M3 – M12
Weight	1,65 kg
Dimensions	270 mm x 285 mm x 99 mm
Stroke	7 mm
Pressure required	5 – 7 Bar
Traction power(6 bar)	18,5 kN
Equipment	Conversion kit blind rivet nuts: M4 – M8

www.airpowerseries.com